




Adults with Low Social Capital by Planning Analysis Section, Philadelphia, 2010





Health and Well-being Indicators

Older Adults (60 years of age or older)






Older Adult Supplement (Ages 60+ yrs)

- Housing repairs needed
- Use of aids
- 10-item depression scale
- Use of formal in-home care & payment
- Falls within past year
- Instrumental Activities of Daily Living (IADL) limitations
 - i.e., using phone, shopping, walking, meal prep, cleaning, handling money, etc.
- Activities of Daily (ADL) limitations
 - i.e., bathing, grooming, eating, etc.
- Use of informal help with IADL & ADL
- Social supports & services:
 - contact with friends and relatives; familiarity, use, and need for activities at senior center, food programs, transportation, PACE/prescription drug assistance, senior helpline





Need Transportation Services among Older Adults (60+ yrs) by SEPA County, 2012





Health and Well-being Indicators

Children 0-17 years of age




Major Health and Well-being Indicators

- **Health Status**
 - General health status; BMI (height & weight)
- **Health Conditions**
 - Chronic health condition; Asthma
- **Health Insurance**
 - Insurance; Type of insurance
- **Access to Care**
 - Regular source of care; Place of care; Cost barriers to care
- **Dental Care (4-17 yrs)**
 - Dental visit within past 12 months
- **Physical Activity (3-17 yrs)**
 - Physical activity (30+ minutes)
- **Nutrition (3-17 yrs)**
 - Fruit & vegetable servings (typical day)





Children (0-17 yrs) with Asthma by SEPA County, 2012





New Questions in 2012

Chronic
Pain

Cancer

Caregiving

Screen
Time

Medication
Labeling

Substance
Abuse

Child's
Safety

Medical
Visits

Nearby
Parks

Second
Hand
Smoke

Retail
Clinics

Hospital
Preference

Early
Childhood
Education

Health
Information
Sources



II. Demographics: U.S. Census & American Community Survey

- Population Totals
- Age Distribution
- Racial/Ethnic Distribution
- Gender Distribution
- Household Income
- Average Household Size
- Linguistically Isolated
- Citizenship
- Housing Units
- Elderly Living Alone
- Year House Built
- Length of Time at Residence
- Median Housing Value
- Educational Status
- Employment/Occupation
- Poverty Status
- Female-Headed Households
- Mobility and Self-Care



III. Vital Statistics

The most recent data, provided in average annualized rates, are from 2009-2012. They are available at the ZIP code and county level for all of Southeastern Pennsylvania and by Census tract for Philadelphia County.

Birth Outcomes:

- Births to all Women
- Births to Women 15-44
- Births to Adolescent Women
- Low Birth Weight Births
- Prenatal Care
- Infant mortality
- Neonatal mortality

Mortality:

- All Causes
- Heart Disease
- All Cancer
- Lung, Breast Cancers
- Stroke
- Pneumonia/Influenza
- Accidents/Drugs